



**Greenfield
Rehabilitation Agency**

Leading the Way in Rehabilitation Services

GRAI Outcomes Documentation

2012

Outcomes appear on the last page of the evaluation. The button is on the bottom right. You must complete and save your evaluation, prior to completing outcomes. After you click the button, the outcome options for your disciplines will appear, as seen in the example below.

YOU MUST SAVE THE EVALUATION PRIOR TO OPENING OUTCOMES FOR IT TO WORK.

Plan of Care - Hershey, Chololate Current Level of Function Medicare Part A Discipline: OT

Eval Date 1/9/2012 Order Date 1/9/2012 Certification From 1/9/2012 Certification Thru

Medical Diagnosis 438.89 - LATE EFFECT CV DIS NEC Onset Date 1/1/2012 Medical Diagnosis 2 Onset Date 2

Medical Diagnosis 3 Onset Date 3 Medical Diagnosis 4 Onset Date 4

Prior Hospitalization From Thru N/A Physician Physician Signature Required? Yes No

Assessment Functional Deficits Underlying Impairments **Functional Areas**

Long Term Goals

Current Level of Function

Clinical Measures

Resident Name Hershey Chololate SOC 1/9/2012 EOC Discipline OT

Basic | Advanced

Name	Start Score	End Score	Gain
------	-------------	-----------	------

Measure Name PreMorbid Value Goal Value SOC Value Interim Value EOC Value

Prior Living Arrangements Anticipated DC Living Arrangements Interim Value Date

Measure Description

Measure Value Descriptions

Add New Save Delete Close

97112 Neuromuscular re-ed
97150 Group Therapy
97530 Therapeutic activities
97532 Cognitive Skills Development
97535 Self care training.


Outcomes

Save Print Cancel

Start Smart V.Brath Plan of Care - Hershey, Clinical Measures 67.52.59.22 - Remote D... Microsoft PowerPoint no... 12:40 PM

Select the outcome from the Measures Name box that you wish to rate. This should be a goal area for your discipline that you expect to see improvement in. It is a way to “prove” you have made a difference, and we will use this data to market our services. These areas line up with our ACE areas of expertise.

Below is an example of OT. Each discipline has their own measures associated with their scope of practice.



The screenshot shows the 'Clinical Measures' application window. At the top, there are input fields for 'Resident Name' (Hershey Chololate), 'SOC' (1/9/2012), 'EOC', and 'Discipline' (OT). Below these are tabs for 'Basic' and 'Advanced'. A table with columns 'Name', 'Start Score', 'End Score', and 'Gain' is visible but empty. Below the table are several dropdown menus for 'Measure Name', 'PreMorbid Value', 'Goal Value', 'SOC Value', 'Interim Value', and 'EOC Value'. A dropdown menu is open under 'Measure Name', listing various activities: ADL: Lower Body Dressing, ADL: Toileting, ADL: Upper Body Dressing, Continenence Management, Feeding, Pain Management, Splint compliance, Wheelchair Propulsion, Wheelchair seating and positioning, and Wound Healing Management. A blue arrow points from the text above to the 'Measure Name' dropdown. At the bottom, there are buttons for 'Add New', 'Save', 'Delete', and 'Close'.

After selecting the measure, indicate the premorbid level (prior level) of this activity. The measure value description in the lower box will define each level for you to rate accurately.

The screenshot shows the 'Clinical Measures' software interface. At the top, there is a header bar with the title 'Clinical Measures'. Below the header, there are input fields for 'Resident Name' (Hershey Chololate), 'SOC' (1/9/2012), 'EOC', and 'Discipline' (OT). The interface is divided into 'Basic' and 'Advanced' tabs, with 'Basic' selected. A table with columns 'Name', 'Start Score', 'End Score', and 'Gain' is visible but empty. Below the table, there are several dropdown menus: 'Measure Name' (ADL: Lower Body Dressing), 'PreMorbid Value' (a dropdown menu is open showing options 1-6), 'Goal Value', 'SOC Value', 'Interim Value', and 'EOC Value'. There are also fields for 'Prior Living Arrangements', 'Measure Description' (Ability to complete dressing of the low...), and 'Interim Value Date'. At the bottom, there is a section titled 'Measure Value Descriptions' with a table of descriptions for levels 1 through 5. At the very bottom, there are buttons for 'Add New', 'Save', 'Delete', and 'Close'.

Measure Name	PreMorbid Value	Goal Value	SOC Value	Interim Value	EOC Value
ADL: Lower Body Dressing	1-independent				

Description
1 ability to complete lower body dressing safely and independently
2 requires the presence of someone else to set up or for safety of task completion
3 able to complete with assistance for 1-25% of the task
4 able to complete with assistance for 26-75% of the task
5 able to complete with assistance for 76-99% of the task

Click on the Goal Value, to add what goal you have for this resident in the area chosen. The goal should match the evaluation long term goals and demonstrate an expected improvement upon completion of therapy services.

Clinical Measures

Resident Name: Hershey Chololate SOC: 1/9/2012 EOC: Discipline: OT

Basic | Advanced

Name	Start Score	End Score	Gain
ADL: Lower Body Dressing	4		
ADL: Toileting	5		

Measure Name: ADL: Lower Body Dressing PreMorbid Value: 1-independent Goal Value: **1-independent** SOC Value: 4-moderate as... Interim Value: EOC Value:

Prior Living Arrangements: Home with Caregiver Anticipated DC Living Arrangements: Interim Value Date:

Measure Description: Ability to complete dressing of the lower body safely and completely

Measure Value Descriptions

Score	Description
1	ability to complete lower body dressing safely and independently
2	requires the presence of someone else to set up or for safety of task completion
3	able to complete with assistance for 1-25% of the task
4	able to complete with assistance for 26-75% of the task
5	able to complete with assistance for 76-99% of the task

Add New Save Delete Close

97003 OT Evaluation

Enter a SOC Value, which is the Start of Care Value. Continue to use the scale provided in detail in the lower box to clarify the level. The SOC Value is the their level upon evaluation or current status.

We will not be doing an interim value, thus this stays blank

Clinical Measures

Resident Name Hershey Chololate SOC 1/9/2012 EOC Discipline OT

Basic | Advanced

Name	Start Score	End Score	Gain
------	-------------	-----------	------

Measure Name: ADL: Lower Body Dressing
PreMorbidity Value:
Goal Value:
SOC Value: (Dropdown: 1-independent, 2-set up/CGA, 3-minimal assist, 4-moderate assist, 5-max assist, 6-unable)
Interim Value:
EOC Value:

Prior Living Arrangements:
Anticipated DC Living Arrangements:
Interim Value Date:

Measure Description: Ability to complete dressing of the lower body safely and completely

Measure Value Descriptions

Description
1 ability to complete lower body dressing safely and independently
2 requires the presence of someone else to set up or for safety of task completion
3 able to complete with assistance for 1-25% of the task
4 able to complete with assistance for 26-75% of the task
5 able to complete with assistance for 76-99% of the task

Add New Save Delete Close

PT and OT have a category labeled Higher Level Function that can be used if no other category is applicable. For example, if working with an outpatient on hand therapy but no ADL or pain is a goal, then use this category. If you are working on return to work as a higher level of function, use this category.

In addition, all categories have an NA at discharge category that can be used if the patient expires, goes to hospice, or is hospitalized and outcomes are negatively effected due to this. Otherwise, rate the ending status whether it is an improvement or a decline in function.

Set ID: 1

Group: Higher Level Function

Description: Functional Independence in goal related task

Measure Help: Any area not specifically addressed, that describes IADL, devices or areas in OP

Discipline: PT OT ST

Vector: Up Down Default

Order: 1 Active

Measure Values			
Remove	Value	Description	Help
<input checked="" type="checkbox"/>	1	Able to complete	Able to complete task safely
<input checked="" type="checkbox"/>	2	minimal effect	Task has minimal impairment or needs another to assist
<input checked="" type="checkbox"/>	3	moderate effect	50-75% assistance needed or moderate impact on performance
<input checked="" type="checkbox"/>	4	severe effect	requires a great deal of assistance or has a severe effect on pt function
<input checked="" type="checkbox"/>	5	Unknown	unknown prior status
<input checked="" type="checkbox"/>	8	NA at discharge	unexpected discharge such as hospitalization, death or transfer to hospice
<input checked="" type="checkbox"/>			

Remove Checked Values Add New Save Delete

Fill in the prior living arrangement, given the choices provided. This should match the information contained in the evaluation.

Clinical Measures

Resident Name SOC EOC Discipline

Basic | **Advanced**

Name	Start Score	End Score	Gain
------	-------------	-----------	------

Measure Name: PreMorbid Value: Goal Value: SOC Value: Interim Value: EOC Value:

Prior Living Arrangements: Anticipated DC Living Arrangements: Interim Value Date:

SNF
Home
Home with Home Health
Home with Therapy
Home with Caregiver
Independent Living
Board and Care Facility

2 requires the presence of someone else to set up or for safety of task completion
3 able to complete with assistance for 1-25% of the task
4 able to complete with assistance for 26-75% of the task

97003 OT Evaluation

Click Save. The item you will measure then appears in the top box with the measure and the starting score.

To add another goal, click add new and add the information. You must complete one outcome for each resident that is evaluated. However if you choose OT ADL or PT mobility as an outcome, enter all the goals for that subset of measures (for example ADL has 3 subsets that all start with ADL, PT has 3 subsets that all start with mobility). Thus you will have 3 outcomes if you rate ADL for OT or Mobility for PT.

Clinical Measures

Resident Name SOC EOC Discipline

Basic | **Advanced**

Name	Start Score	End Score	Gain
ADL: Lower Body Dressing	4		

Measure Name: PreMorbid Value: Goal Value: SOC Value: Interim Value: EOC Value:

Prior Living Arrangements: Anticipated DC Living Arrangements: Interim Value Date:

Measure Description: Ability to complete dressing of the lower body safely and completely

Measure Value Descriptions

	Description
1	ability to complete lower body dressing safely and independently
2	requires the presence of someone else to set up or for safety of task completion
3	able to complete with assistance for 1-25% of the task
4	able to complete with assistance for 26-75% of the task
5	able to complete with assistance for 76-99% of the task

All examples in prior screens are the OT options. Below are the choices for PT outcomes.

When choosing Mobility for PT or ADL for OT, we request that you rate all areas in that category if possible. As seen below, there are 3 areas for Mobility.

Clinical Measures

Resident Name SOC EOC Discipline

Basic | **Advanced**

Name	Start Score	End Score	Gain
------	-------------	-----------	------

Measure Name PreMorbid Value Goal Value SOC Value Interim Value EOC Value

Anticipated DC Living Arrangements Interim Value Date

- Continance Management
- Mobility: Ambulation
- Mobility: Bed Mobility
- Mobility: Transfers
- Pain Management
- Wheelchair positioning or seating
- Wheelchair propulsion
- Wound Healing Management

Add New Save Delete Close

97001 PT Evaluation

There are 3 areas of outcomes for Speech Therapy.

Onset Date 3 Medical Diaanosis 4 Onset Date 4

Clinical Measures

Resident Name SOC EOC Discipline

Basic | **Advanced**

Name	Start Score	End Score	Gain
------	-------------	-----------	------

Measure Name PreMorbid Value Goal Value SOC Value Interim Value EOC Value

Cognition/Memory
Communication
Swallowing

Anticipated DC Living Arrangements Interim Value Date

Measure Value Descriptions

Add New Save Delete Close

To enter more than one goal, click ADD NEW, and complete another outcome, saving each outcome.
Close when all outcomes are entered.

Clinical Measures

Resident Name SOC EOC Discipline

Basic | **Advanced**

Name	Start Score	End Score	Gain
ADL: Lower Body Dressing	4		

Measure Name PreMorbidity Value Goal Value SOC Value Interim Value EOC Value

Prior Living Arrangements Anticipated DC Living Arrangements Interim Value Date

Measure Description

Measure Value Descriptions

Description

Upon discharge, you need to enter the final level of function. To do this, click on Outcomes at the bottom of the discharge note, after you have saved the discharge.

The screenshot shows a software window titled "Discharge Summary - Hershey, Chololate" with the subtitle "Current Payor: Medicare Part A Discipline: OT". At the top, there are three dropdown menus: "Activity Date" (set to 1/13/2012), "Discharge/EOC Date" (set to 1/13/2012), and "EOC Reason".

The main content area is divided into several sections:

- Short Term Goals:** A large empty box containing the labels "Goals", "Prior Level of Function", and "Current Level of Function".
- Long Term Goals:** A large empty box.
- Analysis of Functional Outcome / Clinical Impression:** A small empty box.
- Skilled Services Provided since Last Report:** A small empty box.
- Patient / Caregiver Training:** A small empty box.
- Summary of Skilled Services Provided since SOC:** A small empty box.
- Impact on Burden of Care / Daily Life:** A small empty box.
- Precautions:** A small empty box.
- Number of Missed Treatments:** A text input field containing the number "0".
- Reason for Missed Treatments:** A small empty box.
- Discharge Plans:** A small empty box.

At the bottom right of the form, there are four buttons: "Outcomes", "Save", "Print", and "Cancel". A blue arrow originates from the text above and points directly to the "Outcomes" button. The Windows taskbar at the bottom shows the Start button, several open applications, and the system clock displaying "12:48 PM".

Fill in the EOC (End of Care) Value using the guide below for definitions.

Clinical Measures

Resident Name SOC EOC Discipline

Basic | **Advanced**

Name	Start Score	End Score	Gain
ADL: Lower Body Dressing	4		
ADL: Toileting	5		

Measure Name: PreMorbid Value: Goal Value: SOC Value: Interim Value: EOC Value:

Prior Living Arrangements: Anticipated DC Living Arrangements:

Interim Value Date:

Measure Description: Ability to complete dressing of the lower body safely and completely

Measure Value Descriptions

Value	Description
1	ability to complete lower body dressing safely and independently
2	requires the presence of someone else to set up or for safety of task completion
3	able to complete with assistance for 1-25% of the task
4	able to complete with assistance for 26-75% of the task
5	able to complete with assistance for 76-99% of the task
6	unable to complete

1. Click on the anticipated dc living arrangement and enter where the patient is going upon discharge. Ensure this matches your documentation.
2. Save when completed for that item.
3. Click on the next item, and complete both the rating and the discharge location for each measure. **Save** after each item is rated or the data will be lost.

Clinical Measures

Resident Name SOC EOC Discipline

Basic | **Advanced**

Name	Start Score	End Score	Gain
ADL: Lower Body Dressing	4		
ADL: Toileting	5		

Measure Name: PreMorbid Value: Goal Value: SOC Value: Interim Value: EOC Value:

Prior Living Arrangements: Anticipated DC Living Arrangements:

Measure Description: Ability to complete dressing of the low

Measure Value Descriptions:

Description
1 ability to complete lower
2 requires the presence of someone else to set up or for safety of task completion
3 able to complete with assistance for 1-25% of the task
4 able to complete with assistance for 26-75% of the task

Anticipated DC Living Arrangements dropdown menu:

- SNF
- Home
- Home with Home Health
- Home with Therapy
- Home with Caregiver
- Independent Living
- Board and Care Facility

Buttons: Add New Save Delete Close

To review the completed measure, click to the advanced screen. This will display your progress/outcome for each measure

Clinical Measures

Resident Name SOC EOC Discipline

Basic **Advanced**

Measure Group Total Start Score Total End Score

Group	Name	Start Score	End Score	Gain
<input checked="" type="checkbox"/> ADL	ADL: Lower Body Dressing	4	2	2.00
<input checked="" type="checkbox"/> ADL	ADL: Toileting	5	2	3.00
<input type="checkbox"/>	Measure 1			
<input type="checkbox"/>	Measure 2			

Measure Description
Ability to complete dressing of the lower body safely and completely

Measure Value Descriptions

Description
1 ability to complete lower body dressing safely and independently
2 requires the presence of someone else to set up or for safety of task completion
3 able to complete with assistance for 1-25% of the task
4 able to complete with assistance for 26-75% of the task
5 able to complete with assistance for 76-99% of the task

Save

essio

Outcomes can also be entered in the resident tab, under therapy admission. You can enter values by clicking on clinical measures at the bottom of the screen.

The screenshot displays the 'Smart V.Brath' software interface. At the top, the title bar shows 'Smart V.Brath' and standard window controls. Below the title bar is a navigation menu with tabs for 'Tx', 'Reports', 'Facility', and 'System'. Under 'Facility', there are sub-tabs for 'Month View', 'Resident', 'Input', 'Scheduler', 'Planner3', 'Key Factor', and 'Documentation / POC'. The main header area displays 'Greenfield Rehabilitation Agency 8000 - Smart Testing' and patient information: 'Resident: Hershey, Chololate', 'Admit: 01/07/2012', 'Payor: Medicare Part A', and 'Discipline: OT'.

The central area is divided into two main sections. On the left is a 'What do you want to do?' menu with options: '1. Facility Admission', '2. Set Payor/RUG/ARD/LVL', '3. Therapy Admission', '4. Counter Sign', '5. Resident Reports', and '6. Add New Resident'. The 'Therapy Admission' section is active, showing a sub-menu with 'OT', 'PT', and 'ST' options, and a table for 'SOC' and 'EOC' with a value of '01/09/2012' under 'SOC'. On the right is a form for entering admission details, including 'SOC/Eval Date', 'Order Date', 'EOC', 'EOC Reason', 'Medical Diagnosis', and 'Onset Date' fields. Below this is a 'Treatment Diagnosis' table and a 'CPT Codes' table.

The 'Treatment Diagnosis' table has the following data:

Code	Description
728.9	MUSCLE/LIGAMENT DIS NOS

The 'CPT Codes' table has the following data:

Code	Description
97003	OT Evaluation
97110	Therapeutic exercise
97112	Neuromuscular re ed

At the bottom of the screen, there is a 'Clinical Measures' button and an 'Audit' button. The bottom section also includes an 'Alerts and Messages' area with a 'For non-urgent questions email Support@Casamba.net' and 'Casamba Help Desk 818-991-9111'.

At the very bottom, there is an 'Alerts As of Jan 13 2012 5:01AM' section with a table showing 'COT Review' data:

Resident Name	ARD	COT Review	Billed RUG	Computed RUG
Hershey, Chololate	01/11/2012	01/18/2012	N	M

To run a report of the outcome for this patient, click on Resident, Resident Reports, Outcome Summary, enter dates (from beginning of a month to the discharge date) and Run Report. The data will graph and create a report to be shared with MDs on this patient's progress if so desired.

Greenfield Rehabilitation Agency 8000 - Smart Testing

Admit: 01/07/2012 Payor: Medicare Part A Discipline: OT

What do you want to do?

- Facility Admission
- Get Payor/RUG/ARD/LVL
- Therapy Admission
- Counter Sign
- Resident Reports**
- Add New Resident

Step 1. Select a Report

Resident Reports

- ARD Report
- Outcome Summary
- Progress Note
- Service Log
- Time Log
- Resident Pathway

Facility Reports

- Facility ARD Report
- Late Treatment Ent...
- Medicare A Log
- Patient Detail
- Patient Summary
- Planned Therapy
- Planned/Scheduled
- Progress Note Batch
- Service Log Batch
- WorkFlow List

Step 2. Fill in Report Parameters

Outcome Summary

From Date: 1/1/2012

Through Date: 1/10/2012

Sort Order: Patient

Step 3. Run Report

Run Report

Report Queue

Report	Result
Patient Outcome Summary	Created
Patient Outcome Summary	Created
Patient Outcome Summary	Created
Patient Outcome Summary	Created

Refresh

If you have trouble with outcomes:

1. Call the SMART hotline
2. Contact your Regional Director
3. GRAI SMART resource: Ginger Brath, Regional Director
gbrath@grawi.com or 920-857-8311